1. A computer implemented method for synchronizing
2 a first database located on a first computer and a second
3 database located on a second computer, the method
4 comprising:

determining, at the first computer, whether a record of the first database has been changed or added since a previous synchronization, using a first history file located on the first computer comprising records representative of records of the first database at the completion of the previous synchronization;

if the record of the first database has not been changed or added since the previous synchronization, sending from the first computer to the second computer information which the second computer uses to identify the record of the first database to be unchanged.

- 2. The computer implemented method of claim 1 wherein a second history file located on the second computer contains records representative of records of the first database at the completion of the previous synchronization, wherein one of the representative records represents the record of the first database determined to be unchanged, and the method further comprises performing a synchronization, at the second computer, of the second and first databases using the one of the representative records.
- 3. The computer implemented method of claim 2
  wherein the information sent from the first computer to the
  second computer is used to locate the one of the
  representative records in the second history file.

- 4. The computer implemented method of claim 3
  wherein the second history file stores information in
  relation to the representative records and wherein the one
  of the representative records in the second history file can
  be identified from the stored information.
- 5. The computer implemented method of claim 4
  wherein the information sent from the first computer to the
  second computer comprises information that matches the
  information stored in relation to the one of the
  representative records in the second history files.
- 1 6. The computer implemented method of claim 1 2 wherein the information comprises information identifying 3 records other than the unchanged record.
- 7. The computer implemented method of claim 1 wherein the information comprises information identifying the unchanged record.
- 8. The computer implemented method of claim 1 wherein the information comprises information identifying the deleted records.
- 9. The computer implemented method of claim 1 wherein the information comprise information identifying the added records.
- 1 10. The computer implemented method of claim 1
  2 wherein the information comprises a code, the code being
  3 based on at least a portion of the content of the record of
  4 the first database.

4

5

7

- 1 11. The computer implemented method of claim 10
  2 wherein the code comprises a hash number computed based on
  3 at least a portion of the content of the record of the first
  4 database.
- 1 12. The computer implemented method of claim 10
  2 wherein the information further comprises a first plurality
  3 of records of the first database identified as "changed or
  4 added", the method further comprises using said information
  5 to indentify a plurality of the first database as "deleted
  6 or changed" since the previous synchronization.
- 1 13. The computer implemented method of claim 1
  2 wherein the information comprises a code uniquely
  3 identifying the records of the first database.
- 1 14. The computer implemented method of claim 13 2 wherein the unique identification code is assigned by the 3 first database to the records of the first database.
  - wherein the information further comprising a first plurality of the records of the first database identified as "changed", a second plurality of the records of the first database identified as database identified as added, and information identifying a third plurality of records of the first database as "deleted".

6

7

8

9

10

11

12

13

14

15

4

1 16. A computer implemented method of identifying a 2 record of a database stored on a first computer to a second 3 computer comprising:

reading a record of the database;

assigning a code to the record of the database, the code being based on at least a portion of the content of the record of the first database;

transmitting the code to the second computer to identify the record to the second computer.

- 1 17. The computer implemented method of claim 16
  2 wherein the code comprises a hash number computed based on
  3 at least a portion of the content of the record of the first
  4 database.
- 1 18. A computer program, resident on a computer 2 readable medium for synchronizing a first database located 3 on a first computer and a second database located on a 4 second computer, comprising instructions for:

determining, at the first computer, whether a record of the first database has been changed or added since a previous synchronization, using a first history file located on the first computer comprising records representative of records of the first database at the completion of the previous synchronization;

if the record of the first database has not been changed or added since the previous synchronization, sending from the first computer to the second computer information which the second computer uses to identify the record of the first database to be unchanged.

2

3

4

5

- second history file located on the second computer contains records representative of records of the first database at the completion of the previous synchronization, wherein one of the representative records represents the record of the first database determined to be unchanged, and the program further comprising instructions for performing a synchronization, at the second computer, of the second and first databases using the one of the representative records.
- 1 20. The computer program of claim 19 wherein the 2 information sent from the first computer to the second 3 computer is used to locate the one of the representative 4 records in the second history file.
  - 21. The computer program of claim 20 wherein the second history file stores information in relation to the representative records and wherein the one of the representative records in the second history file can be identified from the stored information.
- 1 22. The computer program of claim 21 wherein the 2 information sent from the first computer to the second 3 computer comprises information that matches the information 4 stored in relation to the one of the representative records 5 in the second history files.
- 23. The computer program of claim 18 wherein the information comprises information identifying records other than the unchanged record.

- 1 24. The computer program of claim 18 wherein the
- 2 information comprises information identifying the unchanged
- 3 records.
- 1 25. The computer program of claim 18 wherein the
- 2 information comprises information identifying the deleted
- 3 records.
- 1 26. The computer program of claim 18 wherein the
- 2 information comprise information identifying the added
- 3 records.
- 1 27. The computer program of claim 18 wherein the
- 2 information comprises a code, the code being based on at
- 3 least a portion of the content of the record of the first
- 4 database.
- 1 28. The computer program of claim 27 wherein the
- 2 code comprises a hash number computed based on at least a
- 3 portion of the content of the record of the first database.
- 1 29. The computer program of claim 27 wherein the
- 2 information further comprises a first plurality of records
- 3 of the first database identified as "changed or added", the
- 4 program further comprising instructions for using said
- 5 information to indentify a plurality of the first database
- 6 as "deleted or changed" since a previous synchronization.
- 1 30. The computer program of claim 18 wherein the
- 2 information comprises a code uniquely identifying the record
- 3 of the first database.

4

5

6

7

8

9

10

- 31. The computer program of claim 30 wherein the unique identification code is assigned by the first database to the record of the first database.
- 32. The computer program of claim 30 wherein the information further comprises a first plurality of the records of the first database identified as "changed", a second plurality of the records of the first database identified as added, and information identifying a third plurality of records of the first database as "deleted".
  - 33. A computer program, resident on a computer readable medium, for identifying a record of a database stored on a first computer to a second computer comprising instructions for:

reading a record of the database;

assigning a code to the record of the database, the code being based on at least a portion of the content of the record of the first database;

transmitting the code to the second computer to identify the record to the second computer.

34. The computer program of claim 33 wherein the code comprises a hash number computed based on at least a portion of the content of the record of the first database.